

Actuator

18-
082.0054L



<https://www.eao.com/component/18-082.0054L/en...>

Your product:



18-082.0054L

Actuator

PRODUCT RANGE

Product Status: Phase-out

FRONT

Front dimension: 19 mm x 19 mm

Front form: Square

Front bezel colour: Black

Front bezel material: Plastic

MOUNTING

Design: Flush

Mounting type: Panel mounting

OPERATING-/INDICATION PART

Lens colour: Yellow

Lens material: Plastic

Lens illumination: Illuminated

Lens shape: Flush

Lens optics: translucent

Illumination colour: Yellow

ELECTRICAL CHARACTERISTICS

Operating voltage: 24 V DC $\pm$ 10 %

MECHANICAL CHARACTERISTICS

Terminal:	Soldering terminal
Weight:	0.003 kg

AMBIENT CONDITION


Operating temperature:	– 25 °C ... + 65 °C
-------------------------------	---------------------

CERTIFICATE


REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description:	Actuator, 19 mm x 19 mm, Flush, Illuminated, Yellow, Plastic, translucent, Square, Black, Plastic, Soldering terminal, Yellow
Dimension:	13.8 mm x 13.8 mm
Product attributes:	Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED
Wiring diagrams:	




Component layouts:



A = Terminals (rear side)
B = Indicator

Mounting cut-outs:



Dimension drawings:

